

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|---------------------|
| L2 | 96 | (rack with pinion) steering foil | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/09/15 05:02 |
| L3 | 1831 | (74/422).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/09/15 05:06 |
| L4 | 260 | L3 friction | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/09/15 05:06 |
| S1 | 24 | (Press\$3 steering rack).ti. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/08/15 13:22 |
| S2 | 5 | ((("4800770") or ("4593578") or ("4785685") or ("4400991") or ("4865150")).PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/08/15 13:28 |
| S3 | 24 | ("3554048" "3572158" "3623379" "3844181" "4095482" "4322986" "4400991" "4432137" "4539857").PN. OR ("4593578").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/08/15 13:40 |
| S4 | 16 | ("4581952" "4593578" "4691583" "4785685" "4800770" "4936157" "4939947" "4996905" "5022279" "5265691"). PN. OR ("6076417"). URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/08/15 13:42 |
| S6 | 10 | ("4095482").PN. OR ("4400991").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/08/15 13:47 |

| | | | | | | |
|-----|------|---|--|-----|-----|---------------------|
| S8 | 136 | (74/89.11).CCLS | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/08/15 14:01 |
| S9 | 1827 | (74/422).CCLS | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/08/15 14:01 |
| S10 | 584 | (74/388ps).CCLS | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/08/15 14:01 |
| S11 | 14 | ("3680443" "4709593" "4939947" "5058448" "5906138" "5931046" "5983742" "6119540" "6142031" "6390230" "6467366" "6591706" "6595532" "6619420"). PN. OR ("7281444"). URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/08/15 14:02 |
| S12 | 23 | ("3499691" "3680443" "4271716" "4402618" "4475413" "4515486" "4683769" "4709593" "4793433" "4936157" "4939947" "5058448" "5203216" "5265691" "5272933" "5316043"). PN. OR ("6142031"). URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/08/15 14:04 |
| S13 | 20 | ("3499691" "3680443" "4271716" "4402618" "4475413" "4515486" "4683769" "4709593" "4793433" "4936157" "4939947" "5058448" "5203216" "5265691" "5272933" "5316043"). PN. OR ("5845532"). URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/08/15 14:14 |
| S14 | 503 | (S8 or S9 or S10) steering rack pinion | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/08/15 14:18 |

| | | | | | | |
|-----|------|---|--|-----|-----|---------------------|
| S15 | 292 | S14 spring | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/08/15 14:18 |
| S16 | 6255 | steering rack pinion (yoke or press\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/08/15 15:37 |
| S17 | 3715 | S16 (pin or column or protrusion) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/08/15 15:38 |
| S18 | 2746 | S17 (spring or elastic or bias\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/08/15 15:38 |
| S19 | 2132 | S18 (stop\$3 or screw or cap or plug) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/08/15 15:39 |
| S20 | 1437 | S19 (metal or alluminum or steel or sheet) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/08/15 15:39 |
| S21 | 174 | (74/89.19).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/08/15 15:41 |
| S22 | 85 | (yoke (steering or rack)). ti. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/08/15 15:50 |
| S23 | 15 | ("0431203" "3623379" "3844182" "4263816" "4322986" "4400991" "4593578" "4683769"). FN. OR ("4785685"). URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/08/15 16:42 |

| | | | | | | |
|-----|----|--|--|-----|----|---------------------|
| S24 | 24 | ("3554048" "3572158" "3623379" "3844181" "4095482" "4322986" "4400991" "4432137" "4539857").PN. OR ("4593578").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/08/15 16:43 |
| S25 | 17 | ("3505899" "4186615" "4217793").PN. OR ("4322986").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/08/15 16:47 |
| S26 | 9 | ("3585875" "4322986" "4793433" "5117705" "5287764" "6119540" "6142031" "6178843").PN. OR ("6357314").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/08/15 16:48 |
| S27 | 31 | ("3499691" "3680443" "4271716" "4402618" "4475413" "4515486" "4683769" "4691583" "4709593" "4724717" "4788878" "4793433" "4936157" "4939947" "5058448" "5203216" "5265691" "5272933" "5316043" "5746285" "5802919" "5845532").PN. OR ("6119540").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/08/15 16:49 |
| S30 | 59 | steering rack (pinion or gear) ((thrust or press\$4) adj piece) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/08/15 17:19 |
| S31 | 9 | ("4709593").URPN. | USPAT | AND | ON | 2008/08/15 17:40 |
| S32 | 72 | (lang adj andreas).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/08/16 15:43 |
| S33 | 7 | ("4003446" "4607717" "4856608").PN. OR ("5348110").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/08/16 15:44 |
| S34 | 7 | ("4607717" "4790401" "5135068" "5330024" "5348110").PN. OR ("6105711").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/08/16 15:45 |

| | | | | | | |
|-----|-----|--|--|-----|-----|---------------------|
| S35 | 8 | ("4811806" "4819545" "5046574" "5070958" "5291963" "5348110" "5392875").PN. OR ("5494127").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/08/16 15:47 |
| S36 | 2 | ((("20050126328") or ("20030074995"))).PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/09/14 11:05 |
| S37 | 6 | ((("4095482") or ("4593578") or ("4619155") or ("4691583") or ("5660078") or ("6408708"))).PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/09/14 11:09 |
| S38 | 1 | ("5802919").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/09/14 11:10 |
| S40 | 106 | (press\$3 rack).ti. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/09/14 11:12 |
| S41 | 48 | (yoke rack).ti. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/09/14 11:21 |
| S42 | 59 | (rack with pinion) (pressure adj stage) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/09/14 11:26 |
| S43 | 17 | ("3505899" "4186615" "4217793").PN. OR ("4322986").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/09/14 11:37 |

| | | | | | | |
|-----|----|--|--|-----|----|---------------------|
| S44 | 57 | (US-20080034911-\$ or US-20080006111-\$ or US-20080006110-\$ or US-20070209464-\$ or US-20020124670-\$ or US-20020152825-\$ or US-20050150372-\$).did. or (US-4865150-\$ or US-4800770-\$ or US-4785685-\$ or US-4593578-\$ or US-4400991-\$ or US-6076417-\$ or US-7275456-\$ or US-5265691-\$ or US-4996905-\$ or US-4936157-\$ or US-5937703-\$ or US-5622085-\$ or US-4095482-\$ or US-5746285-\$ or US-7281444-\$ or US-6619420-\$ or US-6142031-\$ or US-6357314-\$ or US-4939947-\$ or US-4709593-\$ or US-5802919-\$ or US-5845532-\$ or US-6119540-\$ or US-6286382-\$ or US-6067713-\$ or US-5718149-\$).did. or (US-5660078-\$ or US-6052900-\$ or US-5314036-\$ or US-4800974-\$ or US-5022279-\$ or US-4539857-\$ or US-4322986-\$ or US-5641033-\$ or US-4691583-\$ or US-4263816-\$ or US-3844182-\$ or US-4660671-\$ or US-5348110-\$ or US-6105711-\$ or US-5494127-\$ or US-5291963-\$ or US-4819545-\$).did. or (US-3623379-\$).did. or (DE-102004057160-\$ or DE-10247332-\$ or DE-10247331-\$ or DE-19937253-\$ or EP-1832496-\$ or FR-2857929-\$).did. | US-PGPUB; USPAT; USOCR; EPO | AND | ON | 2008/09/14 12:12 |
| S45 | 23 | S44 (metal or aluminum or steel) | US-PGPUB; USPAT; USOCR; FPRS; EPO, JPO | AND | ON | 2008/09/14 12:13 |

| | | | | | | |
|-----|------|--|--|-----|-----|---------------------|
| S46 | 3009 | (rack pinion) steering (metal or aluminum or steel) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/09/14 12:30 |
| S47 | 6 | (rack pinion) steering (yoke plug with (metal or aluminum or steel)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/09/14 12:31 |
| S48 | 116 | (rack pinion) steering ((yoke or plug) with (metal or aluminum or steel)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/09/14 12:35 |
| S49 | 21 | S44 (spring with guid\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/09/14 14:07 |
| S50 | 31 | (hafermalz jens\$uwe).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/09/14 16:14 |
| S53 | 96 | (rack with pinion) steering foil | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/09/14 16:29 |
| S54 | 136 | (74/89.11).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/09/14 17:00 |
| S55 | 1831 | (74/422).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/09/14 17:00 |
| S56 | 586 | (74/388ps).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2008/09/14 17:00 |
| S57 | 8 | (S54 or S55 or S56) foil | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2008/09/14 17:00 |

| | | | | | | |
|-----|----|---|--|-----|----|---------------------|
| S58 | 11 | (rack pinion) steering (((yoke or guide or bush \$3 or press\$4) plug) with (metal or aluminum or steel)) | US-PGPUB; USPAT; USOCR; FPRS; EPC; JPO | AND | ON | 2008/09/14 17:12 |
|-----|----|---|--|-----|----|---------------------|

9/15/2008 5:57:12 AM

C:\Documents and Settings\mjohnson\My Documents\EAST\Workspaces\10581779
Device for Pressing on a Rack.wsp